



“...providing sulfide reagents for treatment of COPR and other metal-bearing wastes...”

COPR_{EX}
(Proprietary Polysulfide Blend)
CAS NO.: (1344-81-6 & 1313-82-2)

Description

COPR_{EX} is a deep reddish black solution; pH is in the 11.5-12.5 range.

Uses

Uses include precipitation of heavy metals from plating, circuit board and other liquid waste streams and cyanide conversion and destruction. Used for ground water remediation for heavy metals and for soil remediation at manufacturing sites, mine areas and similar locations. Used in ex-situ and in situ processes for on-site remediation projects.

Formula: NaS_x & CaS_x **Formula Weight:** 187.20

Specifications

Sodium/Calcium Polysulfide	51%
pH	11.5-12.5
Specific Gravity	1.2-1.45
Appearance	Deep reddish black solution
Physical Properties	11.8 lbs/gal 169 gal/ton
Solubility	Soluble in Water

Domestic Shipping Information

DOT Proper Shipping Name	Not Regulated
DOT Hazard Class	Not Regulated
DOT ID Number	Not Regulated

Shipping Description Sodium/Calcium Polysulfide Solution

Shipment Options DOT Approved Rail Tank Cars or Tanker Trucks

11550 N. Meridian ST., Suite 180
Carmel, IN 46032
317-660-6867